Model 27851 Series 2.4 GHz Cordless Handset Telephone Answering System User's Guide



Equipment Approval Information

Your telephone equipment is approved for connection to the Public Switched Telephone Network and is in compliance with parts 15 and 68, FCC Rules and Regulations and the Technical Requirements for Telephone Terminal Equipment published by ACTA.

1 Notification to the Local Telephone Company

On the bottom of this equipment is a label indicating, among other information, the US number and Ringer Equivalence Number (REN) for the equipment. You must, upon request, provide this information to your telephone company

The REN is useful in determining the number of devices you may connect to your telephone line and still have all of these devices ring when your telephone number is called. In most (but not all) areas, the sum of the RENs of all devices connected to one line should not exceed 5. To be certain of the number of devices you may connect to your line as determined by the REN, you should contact your local telephone company.

A plug and jack used to connect this equipment to the premises wiring and telephone network must comply with the applicable FCC Part 68 rules and requirements adopted by the ACTA. A compliant telephone cord and modular plug is provided with this product It is designed to be connected to a compatible modular jack that is also compliant. See installation instructions for details.

- This equipment may not be used on coin service provided by the telephone company.
- Party lines are subject to state tariffs, and therefore, you may not be able to use your own telephone equipment if you are on a party line. Check with your local telephone company
- Notice must be given to the telephone company upon permanent disconnection of your telephone from your line.

Visit the GE website at: www.GE.com/phones

THOMSON

Thomson In

101 West 103rd Stree

© 2008 Thomson Ind

Marca(s) Registrada(s)

Trademark(s) ® Registered

Indianapolis IN 46290-1102



 If your home has specially wired alarm equipment connected to the telephone line ensure the installation of this product does not disable your alarm equipment. If you have questions about what will disable alarm equipment, consult your telephone company or a qualified installe

US Number is located on the cabinet bottom. REN Number is located on the cabinet bottom

2 Rights of the Telephone Company

Should your equipment cause trouble on your line which may harm the telephone network the telephone company shall, where practicable, notify you that temporary discontinuance of service may be required. Where prior notice is not practicable and the circumstances warrant such action, the telephone company may temporarily discontinue service immediately. In case of such temporary discontinuance, the telephone company must: (1) promptly notify you of such temporary discontinuance: (2) afford you the opportunity to correct the situation: and (3) inform you of your right to bring a complaint to the Commission pursuant to procedures set forth in Subpart E of Part 68, FCC Rules and Regulations.

The telephone company may make changes in its communications facilities, equipment, operations or procedures where such action is required in the operation of its business and not inconsistent with FCC Rules and Regulations. If these changes are expected to affect the use or performance of your telephone equipment, the telephone company must give you adequate notice, in writing, to allow you to maintain uninterrupted service.

Interference Information

his device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference: and (2) This device must accept any interference received, including interference that may cause undesired operation. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation

This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation

Privacy of Communications may not be ensured when using this product.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures

- Reorient or relocate the receiving antenna (that is, the antenna for radio or television that is "receiving" the interference
- Reorient or relocate and increase the separation between the telecommunications equipment and receiving antenna.
- Connect the telecommunications equipment into an outlet on a circuit different from that to which the receiving antenna is connected

If these measures do not eliminate the interference, please consult your dealer or an experienced radio/television technician for additional suggestions. Also, the Federal ommunications Commission has prepared a helpful booklet, "How To Identify and Resolve Radio/TV Interference Problems." This booklet is available from the U.S. Government Printina Office, Washington, D.C. 20402. Please specify stock number 004-000-00345-4 when ordering

Notice: The changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipmen

Hearing Aid Compatibility (HAC)

his telephone system meets FCC standards for Hearing Aid Compatibility.

icensing

icensed under US Patent 6.427.009

FCC RF Radiation Exposure Statement

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolle environment. This equipment should be installed and operated with a minimum distance of 20 centimeters between the radiator and your body. This transmitter must not be co-located or operated in conjunction with any other antenna or transmitter."

Introduction



CAUTION: When using telephone equipment, there are basic safety instructions that should always be followed. Refer to the IMPORTANT SAFETY INSTRUCTIONS provided with this product and save them for future reference.


IMPORTANT: Because cordless phones operate on electricity, you should have at least one phone in your home that isn't cordless, in case the power in your home goes out

Before You Begin

Parts Checklist (for 27851xx1 model) Make sure your package includes the items shown here.







For Model **27851xx2** there will be **ONE** additional handset, charge cradle, battery pack and cover than shown above

IMPORTANT: You can only use one handset at a time and there is NO conference and intercom features for these units.

Telephone Jack Requirements

To use this phone, you need an RJ11C type modular telephone jack, which might look like the one pictured here, installed in your home. If you don't have a modular jack, call your local phone company to find out how to get one installed

telephon

Installation

Digital Security System

Your cordless phone uses a digital security system to protect against false ringing, unauthorized access, and charges to your phone line.

INSTALLATION NOTE: Some cordless telephones operate at frequencies that may cause or receive interference with nearby TVs, microwave ovens, and VCRs. To minimize or prevent such interference, the base of the cordless telephone should not be placed near or on top of a TV, microwave ovens, or VCR. If such interference continues, move the cordless telephone farther away from these appliances.

Certain other communications devices may also use the 2.4 GHz frequency for communication, and, if not properly set, these devices may interfere with each other and/or your new telephone If you are concerned with interference, please refer to the owner's manual for these devices on how to properly set channels to avoid interference. Typical devices that may use the 2.4 GHz frequency for communication include wireless audio/video senders, wireless computer networks, multi-handset cordless telephone systems, and some long-range cordless telephone systems.

Important Installation Guidelines


- Avoid sources of noise and heat, such as motors, fluorescent lighting, microwave ovens, heating appliances and direct sunlight.
- Avoid areas of excessive dust, moisture and low temperature.
- Avoid other cordless telephones or personal computers.
- Never install telephone wiring during a lightning storm. • Never install telephone jacks in wet locations unless the jack is specifically
- designed for wet locations.
- Never touch non-insulated telephone wires or terminals, unless the telephone line has been disconnected at the network interface.
- Use caution when installing or modifying telephone lines.

PRODUCT TO RAIN OR MOISTURE.



SEE MARKING ON BOTTOM / BACK OF PRODUCT

Dodel 27851D 00008245 (Rev. 4 Dom E) Printed in China



FLECTRICAL SHOCK HAZARD, DO NOT

Handset Lavout







Handset



Handset battery pack








Base Layout

(switch)



Installing the Phone

Installing the Handset Battery


NOTE: You must connect the handset battery before use. CAUTION: To reduce the risk of fire or personal injury, use only the Thomson Inc. approved Nickel-metal Hydride (Ni-MH) battery model 2-2522 or Nickel-Cadmium (Ni-Cd) battery model 5-2459,

which is compatible with this unit. 1. Locate battery and battery door which are packaged together inside a plastic bag and are separate from the handset

2. Locate the battery compartment on the back of the handset.

3. Plug the battery pack cord into the jack inside the compartment.

NOTE: To ensure proper battery installation, the connector is keyed and can be inserted only one way.




4. Insert the battery pack.

5. Close the battery compartment by pushing the door up until it snaps into place

Base Station

. Choose an area near an electrical outlet and a telephone wall jack (RJ11C), and place your cordless telephone on a level surface, such as a desktop or tabletop, or you may mount it on the wall.



- 2. Plug one end of the telephone line cord into the TEL LINE jack on the bottom of the base and the other end into a modular jack.
- 3. Plug the AC power converter into the electrical outlet and the DC connector into the iack on the bottom of the base
- 4. Set the ringer switch (on the handset) to ON, and place the handset in the cradle on the hase
- 5. The in use/charge indicator turns on, verifying the battery is charging. The unit will take 20 seconds to register and verify its security code

NOTE: In case of a power failure, the handset may display UNAVAILABLE when the TALK/CALL BACK button is pressed. You must then place all handsets on the main base cradle for 20 seconds to re-register.

6. Allow the phone to charge for 16 hours prior to first use. If you don't properly charge the phone, battery performance is compromised



(button)

CAUTION: To reduce risk of personal injury, fire, or damage use only the power adaptor listed in the user's guide For Model 27851xx1 use only the 5-2648 (black), 5-2749 (black)

or 5-2754 (arav) power adaptors. For Model 27851xx2 use only the 5-2512 (black), 5-2749 (black). 5-2618 (gray), or 5-2754 (gray) power adaptors. The power adaptor is intended to be correctly orientated in a vertical or floor mount position.

Extra Charge Cradle (applicable only with Model 27851xx2)

- 1. Plug the extra charging cradle into the electrical outlet.
- 2. Place the handset on the charging cradle.
- 3. The charge indicator turns on, verifying the battery is charging.
- 4. Allow the phone to charge for 16 hours prior to first use.

VERY IMPORTANT: BOTH HANDSETS MUST BE REGISTERED TO THE MAIN BASE BEFORE USE. After the 2nd handset has charged for 16 hours, place it on the main base station for 20 seconds, it will then automatically register and verify its security code

Wall Mounting

If you want to mount the phone on a wall, slip the mounting holes (on the back of the base) over the wall plate posts, and slide the unit down into place. (Wall plate not included)

Answering System Setup

This section shows you how to set up your answering system to record incoming calls Before you begin the setup, you must turn on the answering system

- Press the answerer on/off button to turn the answering system on and off. The MESSAGES indicator lights when the answering system is on. The indicator alternately flashes between CL (clock) and 0, indicating day/time programming is needed and 0 messages are stored.
- NOTE: The answering system displays "--" when it is off.

Setting the Voice Prompt Language

The default voice prompt language is English.

To change the answering system's voice prompt language, press and hold the skip button for two seconds. The unit announces "SELECCIONADO ESPANOL" (Spanish selected

NOTE: To change to "ENGLISH," press and hold the skip button again for 2 seconds

NOTE: In remote access mode, the system follows the selected language. The voice prompt language cannot be switched remotelv

Voice Time/Day Stamp

- 1. Make sure the answering system is **ON**
- 2. Press format/answerer button on the handset to enter answerer remote mode.
- 3. Press key [8] to enter Time/Day set menu on handset.
- 4. To set hour, key in [00]-[12].
- 5. To set Minutes, key in [00]-[59].
- 6. To set AM/PM, press CID/VOL (+ or -) buttor
- 7. Press #PAUSE button to confirm the setting

Speaker Volume

Use the VOLUME (+ or -) buttons to adjust speaker volume to a comfortable level. Press VOLUME (+) to increase the volume and VOLUME (-) to decrease the volume. L8 is the maximum and L1 is the minimum level

Voice Instructions

If you need additional assistance, press the review (left arrow) button when you plug in the answering system and follow the voice instructions.

Recording the Outgoing Announcement

For best results when recording, you should be about nine inches from the mic (microphone) opening to eliminate as much background noise as possible. 1. Press and hold the announce button. Hold the button down until you finish the

- announcement 2. Begin speaking after you hear the beep. You have up to two minutes of recording
- 3. Release the button when you finish your announcement.

If you choose not to record an outgoing announcement, a default announcement is played instead. To return to the default announcement after you have recorded your own outgoing announcement, press the announce button and release it when you hear the beep.

Sample Outgoing Announcement

Hi, this is (use your name here), I can't answer the phone right now, so please leave your name, number and a brief message after the tone, and I'll get back to you. Thanks.

Reviewing the Announcement

Rinas to Answer

1. Make sure the answering system is **ON**.

. 2. Press format/answerer button on the handset to enter answerer remote mode.

3. Press key [9] to enter Ring to Answer menu on handset 4. Use the CID/VOL (left or right arrow) button to choose 3 rings, 5 rings or Toll saver.

5. Press #PAUSE button to confirm the setting.

NOTE: If you select Toll Saver (TS) the unit answers after the 3rd ring if there ARE new messages, OR the unit answers after the 5th ring if there ARE NO new messages.

Handset Setup

here are five programmable menus available: Language, Local Area Code, Ringer Tone, Tone/Pulse and Factory Default. When you program these settings, make sure the phone is **OFF** (not in talk mode). Pressing the TONE*/exit button will remove you from the menu selection process without changing the feature you are in.

Display Language

- 1. Press the FLASH/program button until the screen displays **1ENG 2FRA 3ESP**.
- 2. Use the CID/VOL (left or right arrow) button or the handset number pad to select 1 (English), 2 (French), or 3 (Spanish). The default setting is "1ENG".
- 3. Press the FLASH/program button to confirm and to advance to the next menu

Local Area Code

If you enter your local 3-digit area code in the area code menu, your local area code does not display on the Caller ID (CID) list. Instead, you only see the local 7-digit number. Calls received from outside your local area code will display the full 10-digit number.

- 1. Press the FLASH/program button until the screen displays **AREA CODE - -**. The default setting is "---
- 2. Use the handset number pad to enter your 3-digit area code. NOTE: If you make a mistake, press the CHAN/delete button to erase the incorrect area code and repeat step 2.
- 3. Press the FLASH/program button to confirm and to advance to the next menu feature

Ringer Tone

feature

Tone/Pulse

handset

1. Press the FLASH/program button until the screen displays RINGER TONE.

your selection. The default setting is "1 TONE".

• Press and release the announce button to review your outgoing announcement.

2. Use the CID/VOL (left or right arrow) button or the handset number pad (1-3) to enter your selection from Ringer Tone 1, 2, or 3. The default setting is "RINGER TONE 1". 3. Press the FLASH/program button to confirm and to advance to the next menu

1. Press the FLASH/program button until the screen displays **1** TONE 2 PULSE. 2. Use the CID/VOL (left or right arrow) button or the handset number pad to enter

3. Press the FLASH/program button to confirm and to advance to the next menu

NOTE: For Model 27851xx2, this setting should be changed on both

Factory Default

This feature allows you to restore the unit's original features. 1. Press the FLASH/program button until the screen displays **DEFAULT**.

- 2. Use the CID/VOL (left or right arrow) button to scroll to YES. The default setting is
- 3. Press FLASH/program to confirm. You will hear a confirmation tone.

Cordless Phone Basics

Makina a Call

1. Press the TALK/call back button and dial the desired number.

To perform preview dial, dial the number first then press the TALK/call back button. 2. To hang up, press the TALK/call back button or place the handset in the cradle.

Receiving a Call

- 1. To answer a call press the TALK/call back button on the handset before you begin speakina
- 2. To hang up, press the TALK/call back button or place the handset in the cradle.

Call Transfer (applicable only with Model 27851xx2)

During an external call, you may transfer the call to another handset.

- 1. Press the answer/transfer button on originating handset. the screen displays TRANSFERRING. Both handsets will be paged.
- 2. Press the answer/transfer or TALK/call back button on the receiving handset to answer the call.

NOTE: To cancel the call transfer, you may press the TONE*/exit or the answer/transfer button on the originating handset.

Redial

Press the REDIAL button to guickly dial the last number you called (up to 32 digits). If you get a busy signal, and want to keep dialing the number, press redial to dial the number again.

In Use Indicator

When the in use/charge indicator on the base is lit, the handset is either in use or charging. The in use/charge indicator on the base flashes when you receive a call.

Flash

If you subscribe to the combined Call Waiting Caller ID service from your local telephone company you will receive Caller ID information (if available) on Call Waitina calls. During a phone call, you will hear a beep to indicate another call is waiting on the line and Caller ID information for the waiting call shows on the handset display. To connect the waiting call, press the FLASH/program button on the handset and your original call is put on hold. You may switch back and forth between the two calls by pressing the FLASH/program button.

TIP: Do not use the TALK/call back button to activate custom calling services such as call waiting, or you'll hang up the phone.

Volume

When the phone is **ON**, press the CID/VOL (left or right arrow) on the handset to adjust the volume of the handset's earpiece. There are four settings. Press the right arrow to increase the volume and left arrow to decrease the volume. You will see the volume setting on the handset display. VOL 4 is the maximum and VOL 1 is the minimum.

Channel Button

While talking on the phone, you might need to manually change the channel in order to reduce static caused by appliances, such as baby monitors, garage door openers, microwave ovens, or other cordless phones. Press and release the CHAN/delete buttor to move to the next clear channel.

Temporary Tone

This feature is useful only if you have pulse (rotary) service. Temporary Tone Dialing enables pulse (rotary) service phone users to access touchtone services offered by banks, credit card companies, etc. For example, when you call your bank you may need to enter your bank account number. Temporarily switching to touchtone mode allows you to send your number.

- 1. Dial the telephone number and wait for the line to connect.
- 2. When your call is answered, press the TONE*/exit button on the handset to temporarily change from pulse dialing to tone dialing.
- 3. Follow the automated instructions to get the information you need.
- 4. Hang up the handset and the phone automatically returns to pulse (rotary) dialing

Exit

Press the TONE*/exit button to cancel any command you initiated.

Ringer Switch

The RINGER switch must be **ON** for the handset to ring during incoming calls.

Paging the Handset

This feature helps to locate a misplaced handset


Press the page button on the base. The handset will beep for about two minutes or until you press TALK/call back on the handset or press the page button on the base.

NOTE: You can still page the handset if the ringer is turned off. If the battery is dead, the Paging feature will not work.

Caller ID (CID)

IMPORTANT: In order to use this unit's Caller ID features, you must subscribe to either the standard Name/Number Caller ID Service or Call Waiting Caller ID Service. To know who is calling while you are on the phone, you must subscribe to Call Waiting Caller ID Service.

This unit receives and displays information transmitted by your local phone company. nis information can include the phone number, date, and time; or the name, phone number date and time



Call Waiting Caller ID

Provided you subscribe to Call Waiting Caller ID service from your phone company; if you receive an incoming call and you are using the GE multi handset system, a beep indicates the presence of a Call Waiting call on the line. The Call Waiting Caller ID information will be displayed and stored in the history of all handsets in the system

• When you hear the call waiting beep in the handset receiver, press the FLASH/ program button to put the current call on hold and answer the incoming call. Press FLASH/program again to return to the original call.

Receiving CID Records

When you receive a call, the Caller ID information is transmitted between the first and second ring. The Caller ID information appears on the display while the phone rings, giving you a chance to monitor the information and decide whether or not to answer

Storing CID Records (In CID Memory)

If you are not at home or cannot answer, your telephone's Caller ID memory stores the data for the 40 most recent calls you received so you can see who called while you were unavailable. When the 41st call is received, the oldest Caller ID record (1st call) is automatically deleted

You may review the stored information at any time. Calls received since your last review show as NEW in the display. Calls that have not been previously reviewed but were received from the same number more than once the screen displays the character(s) as **REPT**.

Reviewing CID Records

As calls are received and stored, the display is updated to let you know how many calls have been received. To scroll CID records

- 1. Make sure the phone is **OFF** (not in TALK mode).
- 2. Press the CID/VOL (-) button to review the newest CID record.
- 3. Press the CID/VOL (+) button to review the oldest CID record first

Dialing a CID Number

- 1. Make sure the phone is OFF (not in TALK mode).
- 2. Use the CID/VOL (- or +) button to display the desired record.
- 3. Press the TALK/call back button. The number dials automatically.

NOTE: Depending on (a) how the incoming caller's phone number is formatted when it is received, and (b) whether or not you previously pre-programmed your local area code into the set up menu, you may need to adjust the format of the incoming caller's stored phone number before making the call, press the FORMAT button to adjust the number, and try again

Available formats include:

Number of digits	Explanation	Example
Eleven digits	long distance code "1 " +3-digit area code +7-digit telephone number.	1-317-888-8888
Ten digits	3-digit area code + 7-digit telephone number.	317-888-8888
Seven digits	7-digit telephone number.	888-8888

Storing CID Records in Internal Memory

You may also store CID information in the phone's internal memory

- NOTE: It is important that you format CID records correctly BEFORE storing in internal memory as you cannot reformat CID records stored in memory.
- .. Make sure the phone is **OFF** (not in TALK mode).
- 2. Use the CID/VOL (- or +) button to scroll to the desired CID record.
- 3 Press the MEMORY button
- 4. Use the touch-tone pad to enter a memory location (0-9) to store the number in that memory location. You will hear a confirmation tone.

NOTE: If the memory location is occupied, the screen displays REPLACE MEMO?, and you must confirm replacement by pressing the MEMORY button

NOTE: Press the TONE*/exit button once to keep the previous setting (making no changes) and return to the menu.

NOTE: If the selected CID record contains any information that is nonnumeric, the unit will not allow this record to transfer to the internal user memory. The screen of the handset displays UNABLE TO STORE.

To Replace a Stored CID Record

- 1. Repeat steps 1 through 3 in Storing CID Records in Internal Memory. After you enter the memory location, the screen displays **REPLACE MEMO?**.
- 2 Press the MEMORY button again and the new CID record replaces the old memory in that location. You will hear a confirmation tone.

Deleting a CID Record

1. Make sure the phone is **OFF** (not in TALK mode).

- 2. Use the CID/VOL (- or +) button to display the CID record you want to delete.
- 3. Press CHAN/delete. The screen displays DELETE CALL ID?.
- 4. Press CHAN/delete again to erase the record and the screen displays the next Caller ID record. You will hear a confirmation tone.

NOTE: Press the TONE*/exit key to return to the standby mode.

Deleting All CID Records

- 1. Make sure the phone is OFF (not in TALK mode).
- 2. Use the CID/VOL (or +) button to display any Caller ID record.
- 3. Press and hold the CHAN/delete button until the screen displays **DELETE ALL?**.
- 4. Press CHAN/delete again to erase all records. You will hear a confirmation tone. The display shows NO CALLS.

NOTE: Press the TONE*/exit key to return to the standby mode.

Memory

Each handset can store up to ten 24-digit numbers with up to 15-character names in memory for guick dialing. This memory feature is in addition to the CID memory log, which stores up to 40 CID records in each handset.

Storing a Name and Number in Memory

- 1. Make sure the phone is **OFF** (not in TALK mode).
- 2. Press the MEMORY button.
- 3. Press the desired memory location (0 through 9) or use CID/VOL (+ or) to scroll to the desired memory location

NOTE: If the memory location is occupied, the memory location number and stored name and the screen displays telephone number. If the memory location is empty. the screen displays EMPTY.

4. Press the MEMORY button again. The display shows ENTER NAME.

- NOTE: If you don't want to enter the name, skip step 5.
- 5. Use the touch-tone pad on the handset to enter the name (up to 15 characters) and press the memory button to save. More than one letter is stored in each of the number keys. For example, to enter the name Bill Smith, press the 2 key twice for the letter B. Press the 4 key 3 times for the letter I. Press the 5 key 3 times for the letter L Wait for one second. Press the 5 key 3 times for the second letter L. Press the 1 key to insert a space between the L and the S. Press the 7 key 4 times for the letter S; press the 6 key once for the letter M; press the 4 key 3 times for the letter I; press the 8 key for the letter T; press the 4 key twice for the letter H.

NOTE: If you make a mistake press the DELETE/Channel button to backspace and erase the wrong character(s) or number(s).

- 6. Press the MEMORY button to save the name. The display shows ENTER TEL NUMBR.
- 7. Use the touch-tone pad to enter the telephone number you want to store (up to

NOTE: The system treats PAUSES as delays or spaces in the dialing sequence

8. Press MEMORY again to store the number. You will hear a confirmation tone.

Storing the Last Number Dialed

- 1. Repeat steps 1 through 6 in Storing a Name and Number in Memory.
- 2 Press the REDIAL button
- 3. Press the MEMORY button to store the number. You will hear a confirmation tone.
- To replace an old number with a new redial number:
- 1. Repeat steps 1 through 6 in Storing a Name and Number in Memory.
- 2. Press the REDIAL button.
- 3. Press the MEMORY button, and the screen displays **REPLACE MEMO?**.
- 4. Press the MEMORY button again to replace the old number with the new number. You will hear a confirmation tone

Inserting a Pause in the Dialing Sequence of a Stored Number

If a pause is needed to wait for a dial or access tone, press the #PAUSE button to insert a delay in dialing sequence of a stored number (for example, after you dial 9 for an outside line, or to wait for a computer access tone), the screen displays Pause as a P. and each pause counts as one digit in the dialing sequence.

Chanaina a Stored Number

- 1. Repeat steps 1 through 7 in Storing a Name and Number in Memory.
- 2. Press the MEMORY button, and the screen displays **REPLACE MEMO?**.
- Press the MEMORY button to store the number. You will hear a confirmation tone.

Reviewing and Deleting Stored Numbers

- 1 To review stored numbers press the memory button and use the CID/VOI (- or +)button to scroll to the memory location, or press the corresponding number key for a desired memory location (0-9)
- 2. When the screen displays the data, press the CHAN/delete button. The screen displays **DELETE?**.
- 3. Press CHAN/delete again to delete the data. The screen display **DELETED.**

Dialina a Stored Number

- 1. Make sure the phone is ${\bf ON}$ by pressing the TALK/call back button.
- 2. Press the MEMORY button.
- 3. Press the memory location (0-9). The number dials automatically. - OR -
- 1. Make sure the phone is **OFF** (not in TALK mode).
- 2. Press the MEMORY button.
- 3. Use the touch-tone pad or the CID/VOL (or +) button to scroll to the number you
- 4. Press the TALK/call back button. The number dials automatically.

Chain Dialing from Memory

Use this feature to make calls which require a sequence of numbers, such as calling card calls to a frequently called long distance number. Each part of the sequence is dialed from memory. The following example shows you how to use chain dialing to make a call through a long distance service:

The Number For	Memory Location	
Long distance access number	7	
Authorization code	8	
Frequently called long distance number	9	

1. Make sure the phone is **ON** (in TALK mode).

2. Press the MEMORY button and then press 7

- 3. When you hear the access tone, press the MEMORY button and then press 8.
- 4. At the next access tone, press the MEMORY button and then 9.

TIP: Wait for the access tones before pressing the next MEMORY button, or your call may not go through.

Answering System Operation

This section discusses the buttons and features on the answerina system.

Messages Indicator

The messages indicator shows you how many messages you have received, and the indicator blinks when new messages are received. The answerer on/off button must be **ON** in order for the messages indicator to work.

NOTE : The answering system displays "- -" when it is turned off.

Screening Calls from the Base

L. Wait for the caller to begin leaving a message (to determine who is calling).

2. To speak to the caller, pick up the handset, and press the TALK/call back button. The answering system automatically stops recording when you activate the handset or pick up an extension phone

TIP: Make sure the volume on the base is set loud enough to hear your incoming calls.

Message Playback

The messages indicator lets you know when you have messages. To play messages, press the PLAY/STOP button.

While a message is playing, you may do the following:

- Press the PLAY/STOP button to stop the message playback.
- Press and release the REVIEW button to restart the current message; continue to press and release the REVIEW button to go to previous messages.
- Press and release the SKIP button to go to the next message.
- Press the VOLUME (+ or -) button to adjust the playback volume.

Memory Full

When the answering system memory is full, the system answers after 10 rings. You should erase some messages so the answering system may record new messages

Erasing Messages

You may erase messages three ways:

- To erase a single message, press the ERASE button on the base to erase a message durina plavback.
- To erase all reviewed messages, press and hold the ERASE button on the base until the unit beeps.
- To erase a message using the handset:

1. Press FORMAT/answer or answer/transfer button on the handset

2. Press the play/stop button (2 key) on the handset.

Leavina a Memo

- Use the memo feature to leave a message
- 1. Press and hold the MEMO button. Hold the button down until va the message
- 2. Begin speaking after you hear the beep.
- 3. Release the MEMO button when you are finished.

Remote Access

 Press the play/stop button (2 key) on the handset. Press the erase button on the handset to erase a message during playback. 	Changing the Battery		Answering System Display Messages	
NOTE: Erased messages cannot be restored. Be careful when		educe the risk of fire or personal injury, use only nc. approved Nickel-metal Hydride (Ni-MH) battery	The following indicators show the status of	
pressing the erase button because if the next unheard message has started to play, it will also be erased.	the Thomson Inc. approved Nickel-metal Hydride (Ni-MH) battery model 2-2522 or Nickel-Cadmium battery model 5-2459, which is		Answerer	
eaving a Memo	compatible with this unit.			nber of messages.
se the memo feature to leave a message.	1. Make sure the telephone is OFF (not in TALK mode) before you replace battery.		•	answering a call. time/day stamp needs set.
. Press and hold the MEMO button. Hold the button down until you finish recording	2. Remove the battery compartment door.		F (blinking) Memory i	
the message.	3. Disconnect the cord a the handset.	ttached to the battery pack and remove the battery pack from	• ,	ine remote answerer.
Begin speaking after you hear the beep. Release the MEMO button when you are finished.	 Insert the new battery compartment. 	pack and connect the cord to the jack inside the battery	•	a memo or announcement.
Remote Access	5. Put the battery compo		Handset Sound Sign	
ou may access the answering system with the cordless handset or from any tone-dial	Place handset in the base to charge. Allow the handset battery to properly charge (for 16 hours) prior to first use or when you install a new battery pack. If you do not		Signal A long warbling tone (with ringer on)	Meaning Signals an incoming call
ompatible telephone. Cordless Handset	properly charge the p	none, battery performance will be compromised.	Three short beeps (several times)	Page signal
Press the FORMAT/answer or answer/transfer button to access the answering	Battery Safety		Single beep every 7 seconds	Low battery warning
system.		ble, mutilate, or puncture. Like other batteries of this type, be released which can cause injury.	Troubleshooting Gui	de
Use the corresponding handset keys just like you would use the base buttons (see "Answering System Setup"). The button functions are located on the handset above	 To reduce the risk of fire or personal injury, use only the Nickel-metal Hydride or Nickel-Cadmium battery listed in the User's Guide. 		Caller ID Solutions	
each number key. For example, to play messages:			No Display	
 Press the FORMAT/answer or answer/transfer button. The screen displays ANSWERER REMOTE. 	Keep batteries out of the reach of children.Remove batteries if storing over 30 days.		• The battery must be fully charged. Try replacing the battery.	
• Press 2 (play/stop).			 Make sure that the unit is connected to the unit from the wall and plug it in aga 	a non-switched electrical outlet. Disconnec in.
 When you are finished listening to your messages, press the FORMAT/answer or answer/transfer button again. 	NOTE: The RBRC seal on the battery used in your Thomson Inc. product indicates that we are participating in a program to collect and recycle the		 You must be subscribed to Caller ID service from your local telephone company in order to receive Caller ID records. 	
creening Calls from the Handset	rechargeable batter	y (or batteries). n go to the RBRC web site at www.rbrc.org		
se the handset to screen calls even when you can't hear the answering system.		ERY or contact a local recycling center.	Caller ID Error Message The unit displays this message if it deter 	ts anything other than walld Caller ID
hen the answering system picks up:)	information during the silent period after	er the first ring. This message indicates eithe
Press the answer/transfer or answer/FORMAT button to access the answering system.	Display Mes	sages	the presence of noise on the line, or the	t an invalid message has been sent from th
Listen as the caller leaves a message.		show the status of a message or of the unit.	telephone company.	
Press the TALK/call back button to speak to the person or press the answer/transfer or answer/FORMAT button to stop screening the call.	ANSWERER REMOTE	Indicates the answering system is being accessed remotely.	Cordless Phone Solutions	
lemory Full	BLOCKED CALL	The person is calling from a number that has been	Check installation:	
nen answering system memory is full, the system answers after 10 rings, beeps and		blocked from transmission.	Make sure the base power cord is connected to a working electrical outlet.	
its for you to enter the 3-digit security code. If you don't enter the security code within 10 conds, the phone hangs up.	BLOCKED NAME	The persons name is blocked from transmission.	Make sure the telephone line cord is connected to the base unit and the wall phone	
u should erase some messages so the answering system can record new ones.	BLOCKED NUMBER	The person is calling from a number that has been blocked from transmission.	jack.	
NOTE: The unit also answers after the 10th ring if it is turned off. To	CALL WAITING	Indicates a call is waiting on the line.	 Connect another phone to the same ma work, the problem might be with your v 	
access the answering system, enter your 3-digit security code after	DELETE ALL?	Prompt asking if you want to erase all Caller ID records.	 The handset may be out of range of the 	
you hear the beep.	DELETE CALL ID?	Prompt asking if you want to erase a Caller ID record.	 Make sure the battery is properly charg 	
ccessing the Answering System from Another	DELETED	Prompt confirming the Caller ID record is erased.	Ensure the battery pack is installed corr	
ocation ou can access your answering system from any touch-tone phone by entering your 3-digit	EMPTY	Indicates a memory location is vacant.		d the TALK/call back button? Did the in use/
curity code after you hear the outgoing announcement.	END OF LIST	Indicates that there is no additional information in Caller	charge indicator come on? The battery	may need to be charged.
Dial the telephone number to which the answering system is connected to.		ID memory.	Place the handset in the base for at least	st 20 seconds.
Enter the security code after you hear the tone.	ENTER NAME	Prompt telling you to enter the name for one of the 10 memory locations.	Handset does not ring	
. Follow the voice menu to use the answering system's remote functions.	ENTER NUMBER	Prompt telling you to enter the telephone number for one	• Make sure the RINGER switch on the ha	
ne remote feature lets you perform the following functions:		of the 10 memory locations.	Move closer to the base. The handset m	, 0
ToPress this ButtonReview message1	INCOMPLETE DATA	Caller information has been interrupted during	 You may have too many extension phot phones. 	nes on your line. Try unplugging some
Play back messages 2	LOW BATTERY	transmission or the telephone line is excessively noisy. Indicates the battery needs to be charged.	Check for a dial tone.	
Stop message playback 2	NEW	Indicates the battery needs to be charged. Indicates call or calls have not been reviewed.	You experience static, noise, or fading in a	nd out
Erase message 0 (during message playback)	NO CALLS	Indicates no calls have been received.	 Change channels. 	na out
Skip message 3	NO DATA	No Caller ID information was received.	 Move closer to base. The handset might 	: be out of ranae.
Turn off/on answerer 4 Review voice menu options 7	PAGING	The PAGE button has been pressed on the base.	 Relocate the base. Make sure base is no 	5
-	PRESS TALK KEY	Indicates the CID number is a Direct Dial Number (DDN)	another household appliance.	
TIP: You can bypass the outgoing announcement by pressing any numbered key on the touch-tone pad while the announcement		and cannot be formatted.	Charge the battery.	
is playing. Then, you can enter your security code to access the	REPT	Repeat call message. Indicates that a new call from the same number was received more than once.	 Unit beeps	
answering system.	TRANSFERRING		• Place handset in base for 20 seconds; if	it still beeps, charge battery for 16 hours.
hanging the Security Code	IRANSFERKING	The handset is transferring a call or receiving notice to accept a transferred call.	Clean the charging contacts on handse	
e default security code for accessing the answering system from another location is 1 2 You must use the handset to change the security code. With the phone OFF (not in TALK	UNKNOWN NAME/ CALLER/NUMBER	The incoming call is from an area not serviced by Caller ID or the information was not sent.	 See solutions for "No dial tone." Paplace the battery. 	
ode), follow these steps:	CALLEK/NUMBEK	Caller ID of the Information Was not sent.	Replace the battery.	
Press the answer/transfer or answer/FORMAT button to display ANSWERER REMOTE.			Memory Dialing doesn't work	
Press the TONE*/exit button.			Make sure you programmed the memo	
Enter the new 3-digit security code. Press the TONE*/exit button again. The unit announces the new code, pauses,			Did you follow proper dialing sequence?)
beeps, and then announces the menu options again.			Phone dials in pulse with tone service	
			Make sure phone is in tone dialing mode	2.
			Phone won't dial out with pulse service	
			. Maka aura phana ia in pulas disting san	L.

• Make sure phone is in pulse dialing mode.

Answering System Solutions

- aaes, beep, etc eaker volume.
- ng stuck at 12 a.m Mon.
- clock.

th ring

nswering system is turned on.

memory may be full

saaes are incomplete

- nsion phone picked up?
- memory is full.
- tally pressed the play/stop button during playback and stopped the

to remote commands

- e a tone-dial phone for remote access.
- ter the correct security code.
- nang up? If you take no action for a period of time, the system ' hanas up.

of Poor Reception

- on insulation
- ts and other metal construction that can shield radio signals.
- conditions, such as strong storms.
- lled in the basement or lower floor of the house.
- ged into AC outlet with other electronic devices.
- r is using the same frequency
- tery is low.
- range of the base.
- even is using the same frequency.

Product Care

- lephone working and looking good, follow these guidelines g the phone near heating appliances and devices that generate ise (for example, motors or fluorescent lamps).
- ose to direct sunlight or moisture.
- ng the unit and other rough treatment.
- soft cloth.
- iginal packaging in case you need to ship the phone at a later date.
- clean the charge contacts on the handset and base with a soft cloth.

ose to appliances such as microwaves, stoves, computers, etc

strong cleaning agent or abrasive powder because this will damage the

Warranty Assistance

If trouble is experienced with this equipment, for warranty information, please contact customer service at **1-800-448-0329**. If the equipment is causing harm to the telephone network, the telephone company may require that you disconnect the equipment until the problem is resolved.

Any unauthorized repairs, changes or modifications not expressly approved by Thomson Inc. could void the user's authority to operate this product. For instructions on how to obtain a replacement unit, refer to the warranty included in this guide or call customer service at **1-800-448-0329**.

Or refer inquiries to:

Thomson Inc. Manager, Consumer Relations

P O Box 1976 Indianapolis, IN 46206

Attach your sales receipt to this booklet for future reference or jot down the date this product was purchased or received as a gift. This information will be valuable if service should be required during the warranty period.

Purchase date

Name of store

Accessory Information

DESCRIPTION	MODEL NO.	
Handset Replacement Battery (Ni-MH)	5-2522	
Handset Replacement Battery (Ni-Cd)	5-2459	
	Black	Gray
27851xx1 AC Power adaptor	5-2648 or 5-2749	5-2754
27851xx2 AC Power adaptor	5-2512 or 5-2749	5-2618 or 5-2754

To place order, have your Visa, MasterCard, or Discover Card ready

and call toll-free 1-800-338-0376.

A shipping and handling fee will be charged upon ordering.

We are required by law to collect appropriate sales tax for each individual state, country, and locality to which the merchandise is being sent. Items are subject to availability.

*Prices are subject to change without notice.

Limited Warrantv

What your warranty covers:

- Defects in materials or workmanship.
- For how long after your purchase:
- One year, from date of purchase.
- (The warranty period for rental units begins with the first rental or 45 days from date of shipment to the rental firm, whichever comes first.)

What we will do

• Provide you with a new unit. The exchange unit is under warranty for the remainder of the original product's warranty period

How you get service:

- Properly pack your unit. Include any cables, etc., which were originally provided with the product. We recommend using the original carton and packing materials.
- "Proof of purchase in the form of a bill of sale or receipted invoice which is evidence that the product is within the warranty period, must be presented to obtain warranty service "For rental firms proof of first rental is also required. Also print your name and address and a description of the defect. Send via standard UPS of its equivalent to

Thomson Inc.

11721 B Alameda Ave

Socorro, Texas 79927

- Insure your shipment for loss or damage. Thomson Inc. accepts no liability in case of damage or loss.
- A new unit will be shipped to you freight prepaid.

What your warranty does not cover:

- Customer instruction. (Your Owner's Manual provides information regarding operating instructions and user controls. Any additional information, should be obtained from your dealer.)
- Installation and setup service adjustments.
- Batteries.
- Damage from misuse or neglect.
- Products which have been modified or incorporated into other products.
- Products purchased or serviced outside the USA.
- Acts of nature, such as but not limited to lightning damage

Product Registration:

• Please complete and mail the Product Registration Card packed with your unit. It will make it easier to contact you should it ever be necessary. The return of the card is not required for warranty coverage.

Limitation of Warranty:

- THE WARRANTY STATED ABOVE IS THE ONLY WARRANTY APPLICABLE TO THIS PRODUCT. ALL OTHER WARRANTIES, EXPRESS OR IMPLIED (INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE HEREBY DISCLAIMED. NO VERBAL OR WRITTEN INFORMATION GIVEN BY THOMSON INC., ITS AGENTS, OR EMPLOYEES SHALL CREATE A GUARANTY OR IN ANY WAY INCREASE THE SCOPE OF THIS WARRANTY
- REPAIR OR REPLACEMENT AS PROVIDED UNDER THIS WARRANTY IS THE EXCLUSIVE REMEDY OF THE CONSUMER. THOMSON INC. SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THIS PRODUCT OR ARISING OUT OF ANY BREACH OF ANY EXPRESS OR IMPLIED WARRANTY ON THIS PRODUCT. THIS DISCLAIMER OF WARRANTIES AND LIMITED WARRANTY ARE GOVERNED BY THE LAWS OF THE STATE OF INDIANA, EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ON THIS PRODUCT IS LIMITED TO THE APPLICABLE WARRANTY PERIOD SET FORTH ABOVE.

How state law relates to this warranty:

- Some states do not allow the exclusion nor limitation of incidental or consequential damages, or limitations on how long an implied warranty lasts so the above limitations or exclusions may not apply to you.
- This warranty gives you specific legal rights, and you also may have other rights that vary from state to state

If you purchased your product outside the USA:

• This warranty does not apply. Contact your dealer for warranty information.