

Y90B/45/129/1



Body material: Solid Brass/Black
Shackle material: Boron Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 7
Corrosion rating: Exposed

Y120/70/141/1



Satin finish padlocks

The satin chrome plated finish protects the body from surface damage but also increases general corrosion resistance.

Body material: Solid Brass/
Satin Chrome
Shackle material: Boron Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 6
Corrosion rating: Outdoor

Y210C/38/127/1



'Closed shackle' padlocks

Shackle is protected by body extension.

Body material: Solid Steel
/Satin Chrome
Shackle material: Boron Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 5
Corrosion rating: Outdoor

Y210C/51/127/1



Body material: Solid Steel/
Satin Chrome
Shackle material: Boron Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 6
Corrosion rating: Outdoor

Classic Series

The Classic Series offers basic security features for indoor and general outdoor applications. The original solid brass bodied locks have added design features such as double locking mechanisms or on some models, adjustable or shrouded shackles. New satin brass finishes and smoother rounded forms increase security whilst protecting the things to be secured. Re-settable combination locks allow the lock to remain a household favorite no matter whom it is passed on to.

These padlocks rate, at the very least, 1-3 on the Yale security rating scale.



Hardened steel dramatically
increases attack resistance
of steel.

indoor/travel

Y110J/15/111/4



Body material: Solid Brass /Black Cover
Shackle material: Steel
No. of padlocks: 4
No. of keys: 4
Security grading: No Rating
Corrosion rating: Indoor

Y150/22/120/1



Body material: Solid Brass/Natural
Shackle material: Steel
No. of padlocks: 1
No. of keys: N/A
Security grading: No Rating
Corrosion rating: Indoor

Y150/30/125/1



Body material: Solid Brass/Natural
Shackle material: Steel
No. of padlocks: 1
No. of keys: N/A
Security grading: No Rating
Corrosion rating: Indoor

Y150/40/130/1



Body material: Solid Brass/Natural
Shackle material: Steel
No. of padlocks: 1
No. of keys: N/A
Security grading: No Rating
Corrosion rating: Indoor

outdoor

Y110/20/111/1



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: No Rating
Corrosion rating: Indoor

Y110/20/111/2



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 2
No. of keys: 3
Security grading: No Rating
Corrosion rating: Indoor

Y110/20/111/4



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 4
No. of keys: 4
Security grading: No Rating
Corrosion rating: Indoor

Y110/25/115/1



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 1
Corrosion rating: Indoor

Y110/25/115/2



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 2
No. of keys: 3
Security grading: 1
Corrosion rating: Indoor

Y110/25/115/4



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 4
No. of keys: 4
Security grading: 1
Corrosion rating: Indoor

Y110/30/117/1



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 2
Corrosion rating: Outdoor

Y110/30/117/2



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 2
No. of keys: 3
Security grading: 2
Corrosion rating: Outdoor

Y110/30/117/3



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 3
No. of keys: 4
Security grading: 2
Corrosion rating: Outdoor

Y110/30/117/4



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 4
No. of keys: 4
Security grading: 2
Corrosion rating: Outdoor

Y110/30/150/1



Long shackle padlocks

Long Shackle Padlocks are manufactured specifically for applications that have staples set far apart. The extended length of the shackle, however, allows for easier twisting, and therefore lowers the rating on the Yale global performance security rating.

Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 1
Corrosion rating: Outdoor

Y140/50/122/1



Body material: Stainless Steel/Natural
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: N/A
Security grading: 2
Corrosion rating: Outdoor

Y110/30/150/2



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 2
No. of keys: 3
Security grading: 1
Corrosion rating: Outdoor

Y110J/30/117/4



Body material: Solid Brass/Black Cover
Shackle material: Hardened Steel
No. of padlocks: 4
No. of keys: 4
Security grading: 2
Corrosion rating: Outdoor

Y110/50/155/1



Adjustable shackle

The vertical shackle length is adjustable within certain models.

Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: No Rating
Corrosion rating: Outdoor

Y110C/30/115/1



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 2
Corrosion rating: Outdoor

Y110C/40/119/1



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 3
Corrosion rating: Outdoor

Y110/35/121/1



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 3
Corrosion rating: Outdoor

Y110/35/121/2



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 2
No. of keys: 3
Security Grading: 3
Corrosion rating: Outdoor

Y110/40/123/1



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security Grading: 3
Corrosion rating: Outdoor

Y110/40/123/2



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 2
No. of keys: 3
Security Grading: 3
Corrosion rating: Outdoor

Y110/40/123/4



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 4
No. of keys: 4
Security grading: 3
Corrosion rating: Outdoor

Y110/40/123/6



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 6
No. of keys: 6
Security grading: 3
Corrosion rating: Outdoor

Y110/40/163/1



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 2
Corrosion rating: Outdoor

Y110/40/163/3



Body material: Solid Brass/Natural
Shackle material: Hardened Steel
No. of padlocks: 3
No. of keys: 4
Security grading: 2
Corrosion Rating: Outdoor

Y121/40/125/1



Plastic covered padlock

Visually appealing with a more tactile finish, padlocks with plastic covers are less likely to tarnish and add protection to the item being secured.

Body material: Solid Brass/Black Cover
Shackle material: Boron Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 5
Corrosion Rating: Outdoor

Y121/50/132/1



Body material: Solid Brass
/Black Cover
Shackle material: Boron Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 6
Corrosion rating: Outdoor

Y115/30/117/1



Body material: Laminated Steel/Zinc
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 2
Corrosion rating: Outdoor

Y115/30/117/3



Body material: Laminated Steel/Zinc
Shackle material: Hardened Steel
No. of padlocks: 3
No. of keys: 4
Security grading: 2
Corrosion rating: Outdoor

Y125/40/122/1



Body material: Laminated Steel/Zinc
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 4
Corrosion rating: Outdoor

Y125/40/122/3



Body material: Laminated Steel/Zinc
Shackle material: Hardened Steel
No. of padlocks: 3
No. of keys: 4
Security grading: 4
Corrosion rating: Outdoor

Y125/50/129/1



Body material: Laminated Steel/Zinc
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 5
Corrosion rating: Outdoor

Y125/60/133/1



Body material: Laminated Steel/Zinc
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 6
Corrosion rating: Outdoor

Y125/40/163/1



Body material: Laminated Steel/Zinc
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 4
Corrosion rating: Outdoor

Y125/40/163/3



Body material: Laminated Steel/Zinc
Shackle material: Hardened Steel
No. of padlocks: 3
No. of keys: 4
Security grading: 4
Corrosion rating: Outdoor

outdoor/exposed

Y220/51/118/1



Body material: Laminated Steel/Zinc
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 4
Corrosion rating: Exposed

Y220/51/118/3



Body material: Laminated Steel/Zinc
Shackle material: Hardened Steel
No. of padlocks: 3
No. of keys: 4
Security grading: 4
Corrosion rating: Exposed

Y220/61/123/1



Body material: Laminated Steel/Zinc
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 5
Corrosion rating: Exposed

Y220/71/130/1



Body material: Laminated Steel/Zinc
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 6
Corrosion rating: Exposed

Y221/52/125/1



Body material: Laminated Steel/Zinc
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 5
Corrosion rating: Exposed

Y221/61/130/1



Weather resistant padlocks

These padlocks offer greater resilience against harsh environmental conditions and carry a higher corrosion resistance rating. Improved "o" ring design prevents water from entering the shackle holes.

Body material: Laminated Steel/Zinc
Shackle material: Hardened Steel
No. of padlocks: 1
No. of keys: 3
Security grading: 6
Corrosion rating: Exposed

designed from the inside out

Anticipating needs

Design is more than just surfaces. It's about quality, from the inside out. Yale's design philosophy is to create the highest quality security products possible that are relevant and respond to every individual's changing needs.


The new Yale padlock range introduces a new enhanced design that is soft to touch, hold, and behold, and designed to resist some of the hardest physical impacts. Each product has the maximum strength, security, usability and the corrosion performance for its specific use. Each padlock is designed to enable the people to effortlessly secure themselves, their loved ones and their possessions for generations. Designed to meet evolving needs, as well as the toughest challenges of life.

Key features

All Yale padlocks contain the precision locking mechanism that helped make Yale the world's favorite lock. The latest insights apply key features exactly where they are needed for the most effective user application.



Advanced design
Innovative design raises performance ratings. Integrated body shoulders, rounded forms, increased body thickness, satin finishes, and rubber covers, help protect the lock from attack and corrosion.



Precision-locking
All locks contain precision-locking mechanisms that help make Yale a household name. Six-pin cylinders raise security levels and allow the padlock to be keyed in the same way as your front door lock.




Longevity
Yale locks are designed to survive our changing needs, as well as attack from man or nature's forces. All padlocks in the new range come with a lifetime warranty.



User convenience
Convenient features such as the re-keyable cylinder means the locks can be kept even if all keys are lost.




Usability
The padlocks come in their most efficient forms. Multiple padlocks on one key result in easy user-management.



Patented flexibility
The patented Yale quick-change shackle system allows the shackle to be replaced with ease, for trouble-free resizing or replacement.



Material knowledge
Materials are treated and applied to withstand some of the toughest corrosion tests in the industry.



Extra security
Double ball locks on both sides of the shackle are an example of where security features are added where they are most needed.

the highest global standards

The toughest tests

Yale employs some of the toughest security and performance testing processes in the industry and is a leading contributor to international standards development. These tests are more severe than would normally be encountered in real life. Varying methods of simulated extreme attack assess the padlock functionality and their ability to survive the worst-case scenarios of attack utilizing common hand tools.

Performance testing and the Global Yale Standard

The Global Yale Standard enables the most stringent evaluation of security and corrosion resistance of padlocks. The standard specifies performance requirements and describes test methods for strength, security, function and performance.

Security rate testing with simulated attacks

The Global Yale Security Level tests simulate various forms of extreme attack with common hand tools. The tests are far more severe than would normally be encountered, maximizing impact of pulling, twisting, cutting, impacting, sawing, drilling or cylinder manipulation.

Corrosion resistance

All Yale padlocks are exposed to accelerated corrosion tests to evaluate their resistance to corrosion. Testing includes long term exposure to damp, humid, wet and extreme conditions, including low temperatures and salt spray.

Durability testing

All Yale padlocks locking mechanisms and cylinders that are run through thousands of cyclic tests, simulating years of daily use.

Engineered security

Yale padlocks are designed to resist various forms of attack.



Anti crop
Built-in protection
against cropping.



Anti drill
Hardened protection
against drill attack.



Anti impact
Built-in protection
against impact.



Anti saw
Hardened protection
against saw attack.




Yale performance ratings

Security strength ratings

Yale padlocks are divided into three security levels, blue, green and red, to help consumers choose the correct lock for their needs. The grading bar identifies the lock’s suitable application and security on a rating between 1 and 10, and is visible on all padlock packaging and merchandising.

Security Ratings



Corrosion resistance ratings

All Yale locks and accessories are exposed to accelerated corrosion tests to evaluate their resistance to corrosion. The scale outlined below helps consumers determine the most appropriate padlock to use for their specific application.

The basic security padlocks cover both indoor and outdoor use, the general security padlocks covers outdoor and exposed, whereas the padlocks in the high security range are suitable for exposed and extreme conditions.

INDOOR
DRY CONDITIONS

OUTDOOR
NORMAL CONDITIONS

EXPOSED
EXTREME CONDITIONS

user-friendly packaging

Quick reference information

The packaging shows the security strength and corrosion resistance ratings, as well as an application description. Key product features are listed for quick reference.

Branding: Prominent Yale branding
- instant trust and credibility.

Description: Brief description of the product.
Corrosion Rating: Yale corrosion rating, a guide to identifying the most appropriate product for the application.
Application: Describes suitable application where applicable

Pack: Bright visible pack design using the Yale yellow color for easy recognition.

Security grading color band, will show Basic, General or High Security. (1 - 10 Security rating)

Product numbering system: A unique code to identify each Yale product.


Strength Rating: Yale strength rating, a guide to identifying the most appropriate product for the application.

Corrosion Rating: Yale corrosion rating explained.

Features: Detailing core product features and benefits.

Guarantee: All Yale padlocks have a lifetime guarantee to give consumers confidence in the product.


Contact details



padlock

range matrix

PADLOCK DETAILS
SHACKLE DETAILS



Model N°	Padlock details				Shackle details				Usage conditions				Shackle material					Padlock features						
Model N° explanation Model Y90S Body width 45 Shackle size 129 Qty per pack 1	Width (mm)	Height (mm)	Thickness(mm)	Body material / finish	Diameter (mm)	Clearance Width	Clearance Height	Security rating	Indoor	Outdoor	Extreme	Marine	Steel	Hardened Steel	Stainless Steel	Boron	Molybdenum	Re-Keyable cylinder	Quick change shackle	Covered shackle	6-Pin cylinder	Double ball lock	Long Shackle	One key fits all
Y90S/45/129/1	48	54	23	Hardened Steel / Black	8	22	19	8			•	•					•	•	•		•	•		
Y90SS/45/129/1	47	54	23	Marine Grade Stainless Steel / Natural	8	22	19	7			•	•			•			•	•		•	•		
Y100/70/125/1	70	66	32	Heavy Duty Hardened Steel / Black	14	33	25	9			•	•					•	•			•	•		
Y290S/95/122/1	95	69	30	Heavy Duty Hardened Steel / Black	14	35	21	10			•	•					•	•		•	•			
Y300/63/127/1	63	56	22	Hardened Steel / Black	11	31	27	8			•	•					•	•	•		•	•		
Y300C/63/127/1	63	89	22	Hardened Steel / Black	11	21	27	8			•	•					•	•	•	•	•	•		
Y300SS/63/127/1	63	56	22	Marine Grade Stainless Steel / Natural	11	31	27	7			•	•			•			•	•		•	•		
Y90B/45/129/1	47	54	23	Solid Brass / Black	8	22	19	7			•						•	•			•	•		
Y120/40/125/1	41	37	16	Solid Brass / Satin Chrome	7	20	25	5		•							•							
Y120/50/127/1	52	46	19	Solid Brass / Satin Chrome	9	25	26	5		•							•							
Y120/50/127/2	52	46	19	Solid Brass / Satin Chrome	9	25	26	5		•							•							•
Y120/50/127/4	52	46	19	Solid Brass / Satin Chrome	9	25	26	5		•							•							•
Y120/50/163/1	52	46	19	Solid Brass / Satin Chrome	9	25	63	4		•							•						•	
Y120/60/135/1	62	51	20	Solid Brass / Satin Chrome	10	34	34	6		•							•							
Y120/70/141/1	71	52	22	Solid Brass / Satin Chrome	11	40	41	6		•							•							
Y122/50/123/1	51	65	17	Solid Brass / Satin Chrome	7	19	23	5		•							•			•				
Y124/60/110/1	61	45	17	Solid Brass / Satin Chrome	10	18	10	5		•							•			•				
Y124/70/115/1	75	55	20	Solid Brass / Satin Chrome	12	22	15	6		•							•			•				
Y130/70/116/1	70Ø	24	24	Marine Grade Stainless Steel / Natural	9	20	14	6			•	•	•							•				
Y130/70/116/2	70Ø	24	24	Marine Grade Stainless Steel / Natural	9	20	14	6			•	•	•							•				•
Y210/38/127/1	42	55	20	Solid Steel / Satin Chrome	6	19	26	4		•							•	•			•			
Y210/38/127/3	42	55	20	Solid Steel / Satin Chrome	6	19	26	4		•							•	•			•			•
Y210/51/127/1	50	55	22	Solid Steel / Satin Chrome	9	19	27	5		•							•	•			•			
Y210C/38/127/1	42	83	20	Solid Steel / Satin Chrome	6	19	26	5		•							•	•		•		•		
Y210C/51/127/1	50	87	21	Solid Steel / Satin Chrome	9	19	27	6		•							•	•		•		•		
Y110/20/111/1	20	20	11	Solid Brass / Natural	3	9	11	N/A	•					•										
Y110/20/111/2	20	20	11	Solid Brass / Natural	3	9	11	N/A	•					•										•
Y110/20/111/4	20	20	11	Solid Brass / Natural	3	9	11	N/A	•					•										•
Y110/25/115/1	26	24	12	Solid Brass / Natural	4	12	13	1	•					•										
Y110/25/115/2	26	24	12	Solid Brass / Natural	4	12	13	1	•					•										•

Model N°	Padlock details				Shackle details				Usage conditions				Shackle material					Padlock features						
	Width (mm)	Height (mm)	Thickness(mm)	Body material / finish	Diameter (mm)	Clearance Width	Clearance Height	Security rating	Indoor	Outdoor	Marine	Extreme	Steel	Hardened Steel	Stainless Steel	Boron	Molybdenum	Re-Keyable cylinder	Quick change shackle	Covered shackle	6-Pin cylinder	Double ball lock	Long Shackle	One key fits all
Y110/25/115/4	26	24	12	Solid Brass / Natural	4	12	13	1	•					•										•
Y110/30/117/1	31	27	13	Solid Brass / Natural	4	15	16	2		•				•										
Y110/30/117/2	31	27	13	Solid Brass / Natural	4	15	16	2		•				•										•
Y110/30/117/3	31	27	13	Solid Brass / Natural	4	15	16	2		•				•										•
Y110/30/117/4	31	27	13	Solid Brass / Natural	4	15	16	2		•				•										•
Y110/30/150/1	31	27	13	Solid Brass / Natural	4	15	51	1		•				•									•	•
Y110/30/150/2	31	27	13	Solid Brass / Natural	4	15	51	1		•				•									•	•
Y110/35/121/1	36	30	14	Solid Brass / Natural	5	18	18	3		•				•										•
Y110/35/121/2	36	30	14	Solid Brass / Natural	5	18	18	3		•				•										•
Y110/40/123/1	41	33	15	Solid Brass / Natural	6	22	22	3		•				•										•
Y110/40/123/2	41	33	15	Solid Brass / Natural	6	22	22	3		•				•										•
Y110/40/123/4	41	33	15	Solid Brass / Natural	6	22	22	3		•				•										•
Y110/40/123/6	41	33	15	Solid Brass / Natural	6	22	22	3		•				•										•
Y110/40/163/1	41	33	15	Solid Brass / Natural	6	22	63	2		•				•									•	•
Y110/40/163/3	41	33	15	Solid Brass / Natural	6	22	63	2		•				•									•	•
Y110/50/155/1	51	42	17	Solid Brass / Natural	8	29	59/155	N/A		•				•									•	•
Y110C/30/115/1	31	43	13	Solid Brass / Natural	4	12	14	2		•				•						•				
Y110C/40/119/1	41	53	16	Solid Brass / Natural	6	16	19	3		•				•						•				
Y110J/15/111/4	20	18	12	Solid Brass / Black Cover	2	8	12	N/A	•				•											•
Y110J/30/117/4	33	27	15	Solid Brass / Black Cover	4	15	16	2		•				•										•
Y115/30/117/1	30	26	17	Laminated Steel / Zinc	5	14	18	2		•				•										•
Y115/30/117/3	30	26	17	Laminated Steel / Zinc	5	14	18	2		•				•										•
Y121/40/125/1	47	62	21	Solid Brass / Black Cover	7	20	22	5		•						•				•				
Y121/50/132/1	58	77	24	Solid Brass / Black Cover	9	24	23	6		•						•				•				
Y125/40/122/1	40	36	22	Laminated Steel / Zinc	6	20	25	4		•				•								•		
Y125/40/122/3	40	36	22	Laminated Steel / Zinc	6	20	25	4		•				•								•		•
Y125/40/163/1	40	36	22	Laminated Steel / Zinc	6	20	63	4		•				•								•	•	
Y125/40/163/3	40	36	22	Laminated Steel / Zinc	6	20	63	4		•				•								•	•	•
Y125/50/129/1	50	38	26	Laminated Steel / Zinc	9	22	29	5		•				•								•		
Y125/60/133/1	60	44	30	Laminated Steel / Zinc	11	28	31	6		•				•								•		
Y140/50/122/1	48	18-30		Stainless Steel / Natural	8	20	22	2		•			•											
Y150/22/120/1	22	32	10	Solid Brass / Natural	3	8	21	N/A	•				•											
Y150/30/125/1	31	41	13	Solid Brass / Natural	4	14	26	N/A	•				•											
Y150/40/130/1	40	48	15	Solid Brass / Natural	6	19	28	N/A	•				•											
Y220/51/118/1	53	49	35	Laminated Steel / Zinc		17	22	4				•		•								•		
Y220/51/118/3	53	49	35	Laminated Steel / Zinc		17	22	4				•		•								•		•
Y220/61/123/1	62	54	39	Laminated Steel / Zinc		20	26	5				•		•								•		
Y220/71/130/1	72	59	43	Laminated Steel / Zinc		26	31	6				•		•								•		
Y221/52/125/1	53	78	35	Laminated Steel / Zinc		17	25	5				•		•								•		
Y221/61/130/1	62	89	39	Laminated Steel / Zinc		20	28	6				•		•								•		

ASSA ABLOY Asia Sales Office Locations

THE YALE BRAND, with its unparalleled global reach and range of products, reassures more people in more countries than any other consumer locking solution.

www.yalelock.com

THE ASSA ABLOY GROUP, is the world's leading manufacturer and supplier of locking solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY Hong Kong Ltd.
33/F., Laws Commercial Plaza,
788 Cheung Sha Wan Road, Kowloon, Hong Kong
Business tel: +852 2260 0888
Business fax: +852 2686 8682
E-mail: sales@assaabloy.com.hk

ASSA ABLOY Hong Kong Ltd., Philippines Branch
Unit 1505, 15/F World Trade Exchange Building,
215 Juan Luna Street,
Binondo, Manila, Philippines
Business tel: +63 2 244 2890
Business fax: +63 2 244 2889
E-mail: sales@assaabloy.com.hk

ASSA ABLOY Hong Kong Ltd., Taiwan Branch
3F-2, No. 201, Ho Ping East Road, Section 2,
Taipei, Taiwan
Business tel: +886 2 2709 0686
Business fax: +886 2 2754 1617
E-mail: sales@assaabloy.com.hk

ASSA ABLOY Singapore Pte. Ltd.
152 Ubi Avenue 4,
#03-02 Armorcoat Technologies Building,
Singapore 408826
Business tel: +65 6880 0000
Business fax: +65 6880 0500
E-mail: sales@assaabloy.com.sg

ASSA ABLOY Malaysia Sdn Bhd
NO. 14, 14A & 14B, Jalan Wan Kadir 1,
Taman Tun Dr. Ismail,
60000 Kuala Lumpur, Malaysia
Business tel: +60 3 7725 3888
Business fax: +60 3 7725 8333
E-mail: info@assaabloy.com.my

ASSA ABLOY Thailand Ltd.
4 Soi Pattanakarn 41, Pattanakarn Road,
Kwang Suanluang, Khet Suanluang,
Bangkok 10250, Thailand
Business tel: +66 2 722 7371
Business fax: +66 2 722 7375
E-mail: sales@assaabloy.co.th

ASSA ABLOY Korea Ltd.
4/F, Baeksong Plaza, 1047-1,
Deokee-Dong Ilsan-Gu, Goyang-City,
Kyungki-Do, 411-809, South Korea
Business tel: +82 31 995 0600
Business fax: +82 31 995 0670
E-mail: sales@assaabloykorea.com

ASSA ABLOY India Private Ltd.
A-501, Delphi, A Wing Orchard Avenue,
Hiranandani Business Park, Powai,
Mumbai 400076, India
Business tel: +91 22 40051380
Business fax: +91 22 40051383
E-mail: info@assaabloy.co.in

ASSA ABLOY China, Beijing Branch
Room 808, Beijing Motor Tower,
No. 25 Dong San Huan South Road,
ChaoYang District, Beijing 100021,
People's Republic of China
Business tel: +86 10 8766 5845
Business fax: +86 10 8766 5461
E-mail: mailbox@assaabloy.com.cn

ASSA ABLOY China, Shanghai Branch
Room 602, South Tower, Merchant Plaza,
333 Cheng Du North Road, JingAn District,
Shanghai 200041,
People's Republic of China
Business tel: +86 21 5298 1136
Business fax: +86 21 5298 0879
E-mail: mailbox@assaabloy.com.cn

ASSA ABLOY China, Chongqing Branch
Room 1202, Metropolitan Tower, 68 Zourong Road,
Central District, Chongqing 400010,
People's Republic of China
Business tel: +86 23 6370 8083
Business fax: +86 23 6371 0332
E-mail: mailbox@assaabloy.com.cn

ASSA ABLOY China, Guangzhou Branch
Room 1203, East Tower, Tianyu Business Building,
753 Dongfeng East Road, Guangzhou 510080,
People's Republic of China
Business tel: +86 20 22816092
Business fax: +86 20 22816328*102
E-mail: mailbox@assaabloy.com.cn

ASSA ABLOY China, Shenzhen Branch
Room 626, Block East, Innovation & Technology Plaza,
Phase 2, Tian An Cyber Park,
Shenzhen 518040, People's Republic of China
Business tel: +86 755 8359 8260
Business fax: +86 755 8359 8261
E-mail: mailbox@assaabloy.com.cn

The world's favorite lock



Lifetime Guarantee
ASSA ABLOY guarantees its Yale products against defects in workmanship and materials. If within the normal working life of a product it is found to be defective, ASSA ABLOY will supply the same or equivalent product free of charge.

ASSA ABLOY assumes no liability under the guarantee for the following: Improper installation or failure to follow fitting instructions. Failure due to improper maintenance. Failure due to unfair wear and tear. Indirect or consequential loss or damage. Cost of removal and/or replacement. Cost of freight and/or traveling time. The plated finishes such as Satin Chrome and Black finish which are classified as a soft finishes. As deterioration is possible under some environmental conditions, these finishes are excluded from this guarantee. Any modification or repairs to a product, as supplied, unless authorized by ASSA ABLOY. Use of replacement parts other than authorized parts. Malfunction or failure of the product due to the use of non-genuine ASSAABLOY parts. Nothing in the ASSA ABLOY guarantee excludes, restricts or modifies any condition, warranty, right or liability implied or protected by law where to do so would render the Guarantee, or any part of it, void.

Legal Disclaimer
Whilst every effort has been made to ensure that the information contained in this brochure is accurate at the time of publication, ASSA ABLOY recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. This brochure does not constitute an offer for the sale of any particular product.